


WO 99/16745

PCT/EP98/06159

Claims

1. Vitamin D derivatives of general formula I,



in which

Y_1 means a hydrogen atom, a hydroxyl group, a fluorine, chlorine or bromine atom or a group $-OCOR_8$, in which

R_8 is an aliphatic or aromatic radical with 1 to 12 C atoms,

Y_2 means a hydrogen atom or a group $-(CO)R_9$, in which

R_9 is an aliphatic or aromatic radical with 1 to 12 C atoms,

R_1 and R_2 each mean a hydrogen atom or together an exocyclic methylene group,

*Sub
cont*

R_3 and R_4 , independently of one another, mean a hydrogen atom, a chlorine or fluorine atom, an alkyl group with 1 to 4 carbon atoms, together a methylene group or together with quaternary carbon atom 20 a 3- to 7-membered, saturated or unsaturated carbocyclic ring, V and W together mean an E-double bond or V means a hydroxyl group and W means a hydrogen atom,

Q means a straight-chain or branched carbon unit with up to 10 carbon atoms, which at any positions can have α - or β -hydroxyl groups, which in turn can be etherified or esterified, keto groups, amino groups or halogen atoms,

Z means a straight-chain or branched-chain, saturated or unsaturated hydrocarbon radical with up to 12 carbon atoms, which at any positions can have keto groups, α - or β -hydroxyl groups, which in turn can be etherified or esterified, amino groups, fluorine, chlorine, or bromine atoms.

2. Vitamin D derivatives of general formula I according to claim 1, in which Q means an unsubstituted, unbranched alkylene unit with 1 or 2 carbon atoms, and Z means a straight-chain 1-oxoalkyl radical.

3. Vitamin D derivatives of general formula I according to claim 1, in which Q means a $-\text{CH}(\text{OH})-\text{CH}_2-\text{CH}_2$ radical, and Z means a straight-chain 1-oxoalkyl radical.

4. Vitamin D derivatives of general formula I according to claim 1, in which Q means a hydroxymethyl group and Z means a straight-chain, saturated or unsaturated alkyl group.

5. Vitamin D derivatives of general formula I according to claim 1, namely

(5Z,7E,22E)-(1S,3R)-25-Acetyl-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxopropyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxobutyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxopentyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxohexyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxoheptyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxooctyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxononyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxodecyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E)-(1S,3R,22S)-25-acetyl-26,27-cyclo-9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-acetyl-26,27-cyclo-9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxopropyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxopropyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxobutyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxobutyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxopentyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxopentyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxohexyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxohexyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxoheptyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxoheptyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxooctyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxooctyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxononyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxononyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxodecyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxodecyl)-26,27-cyclo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E,22E)-(1S,3R)-25-acetyl-26,27-cyclo-24a-homo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxopropyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxobutyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxopentyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxohexyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxoheptyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxooctyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxononyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R)-25-(1-oxodecyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E)-(1S,3R,22S)-25-acetyl-26,27-cyclo-24a-homo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-acetyl-26,27-cyclo-24a-homo-9,10-
secococholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxopropyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxopropyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxobutyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxobutyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxopentyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxopentyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxohexyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxohexyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxoheptyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxoheptyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxooctyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxooctyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxononyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxononyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22S)-25-(1-oxodecyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E)-(1S,3R,22R)-25-(1-oxodecyl)-26,27-cyclo-24a-homo-
9,10-secocholesta-5,7,10(19)-triene-1,3,22-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-acetyl-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-acetyl-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxopropyl)-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-
triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxopropyl)-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-
triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxobutyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxobutyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxopentyl)-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-
triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxopentyl)-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-
triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxohexyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxohexyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxoheptyl)-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-
triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxoheptyl)-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-
triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxooctyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxooctyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxononyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxononyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(1-oxodecyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(1-oxodecyl)-26,27-cyclo-24a,24b-
dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-acetyl-24-methoxy-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-25-acetyl-24-methoxy-26,27-cyclo-
24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxopropyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxopropyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxobutyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxobutyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxopentyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxopentyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxohexyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxohexyl)-26,27-
cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-
1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxoheptyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxoheptyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxooctyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxooctyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxononyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxononyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24R)-24-methoxy-25-(1-oxodecyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-24-methoxy-25-(1-oxodecyl)-26,27-cyclo-24a,24b-dihomo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3-diol,

(5Z,7E,22E)-(1S,3R,24S)-25-methyl-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-methyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-ethyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-ethyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-propyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-propyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-butyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-butyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-pentyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-pentyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-hexyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-hexyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-heptyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-heptyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-octyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-octyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-nonyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-nonyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-decyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-decyl-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-ethylene-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-ethylene-26,27-cyclo-9,10-
secococholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-propenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-propenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-butenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-butenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,


[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-pentenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-pentenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-hexenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-hexenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-heptenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-heptenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-octenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-octenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-nonenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-nonenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24S)-25-(1-decenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(E)]-(1S,3R,24R)-25-(1-decenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-propenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-propenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-butenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-butenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-pentenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-pentenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-hexenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-hexenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-heptenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-heptenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-octenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-octenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-nonenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-nonenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
[5Z,7E,22E,25(Z)]-(1S,3R,24S)-25-(1-decenyl)-26,27-cyclo-
9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

[5Z,7E,22E,25(Z)]-(1S,3R,24R)-25-(1-decenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol.

6. Process for the production of vitamin D derivatives of general formula I, whereby a compound of general formula II



in which

Y'_1 means a hydrogen atom, a halogen atom, or a protected hydroxyl group and Y'_2 means a hydroxy protective group, is converted into the compound of general formula I by simultaneous or successive cleavage of the hydroxy and keto protective groups and optionally by partial or complete esterification of free hydroxyl groups.

7. Use of the vitamin D derivatives of general formula I for the production of pharmaceutical agents.

8. Use of the vitamin D derivatives of general formula I according to claim 7 for the production of pharmaceutical agents for the therapy of hyperproliferative diseases of the skin, pruritus, tumor diseases, precancerous stages, disorders of the

immune system, inflammatory diseases, rheumatoid arthritis, asthma, auto-immune diseases, multiple sclerosis, diabetes mellitus, AIDS as well as rejection reactions in the case of autologous, allogeneic or xenogeneic transplants.


9. Use according to claim 8, wherein the pharmaceutical agent also is combined with other substances that have an immunosuppressive action, such as cyclosporin A, FK 506, rapamycin and anti-CD 4 antibodies.

Sub
SAC
10. Use of the vitamin D derivatives of general formula I according to claim 7 for the production of pharmaceutical agents for the therapy of atrophic skin or wound healing, the therapy of secondary hyperparathyroidism, renal osteodystrophy, as well as senile and postmenopausal osteoporosis, diabetes mellitus type II and the therapy of degenerative diseases of the peripheral and central nervous system as well as the regulation of hair growth.

11. Use of vitamin D derivatives of general formula I according to claim 7, which antagonize the action of calcitriol in HL 60 cells, for the therapy of hypercalcemias or granulomatous diseases, of paraneoplastic hypercalcemias, of hypercalcemia in the case of hyperparathyroidism, for male and female birth control or as immunostimulants, as well as in hirsutism, for the therapy and prophylaxis of arteriosclerosis, and for the therapy of inflammatory diseases.

12. Intermediate products of general formula XII within the production of vitamin D derivatives of general formula I

according to claim 1:



in which

R₆ means a straight-chain or branched alkyl group with up to 11 carbon atoms or a hydrogen atom, and K means a keto protective group.

13. Intermediate product according to claim 10, wherein K stands for 1,3-dioxolan, 1,3-dioxane, 5,5-methyl-1,3-dioxane or a dialkoxyketal.

add a4 } add } add C1 }
Add 10